



Energizing Kenya



**SupaGear** Transmission oils

## SUPAGEAR GL5 80w90, 85w140

### Description

SupaGear GL5 Series are premium quality high performance multi-service, non-corrosive limited slip type hypoid automotive gear oil that is formulated from high quality base oils and exclusively selected additives technology designed for limited slip rear drive differentials.

### Applications

SupaGear GL5 Series oils are highly recommended for the lubrication of hypoid differentials in rear wheel drive cars and light-duty trucks, particularly those with cone clutch design where this type of fluid is recommended and in conditions an extreme pressure oil is required.

### Benefits

- Outstanding thermal stability and oxidation resistance which extends gear and bearing life
- Highly effective protection against rust and corrosion
- Good low temperature fluidity thus reducing wear at start-up
- Excellent foam control which extends seal life
- Special friction modifier additive imparts excellent lubricity for smooth, non-stick or slip engagement

### Performance

API GL5 | SAE J2360 | MIL-PRF-2105E

## SUPAGEAR GL4 80w90, 85w140

### Description

SupaGear GL4 Series is a series of EP automotive gear oils formulated from solvent refined mineral base oils and containing sulphur-phosphorous additives to produce superior gear lubricant with extreme pressure properties for automotive application over wide temperature range.

### Applications

SupaGear GL4 Series oils are highly recommended for use in hypoid gears in passenger and heavy automotive equipment operating under normal conditions.

### Benefits

- Outstanding protection against wearing and scouring produced by high speed and heavy loads
- Highly effective protection against rust and corrosion
- Good low temperature fluidity thus reducing wear at start-up
- Excellent foam control which extends seal life

### Performance

API GL4



# ENERGIZING KENYA

**KAWI Complex, Popo Lane, Off Red Cross Road, South C, Nairobi Kenya.**

**P.O. Box 58567, 00200 Nairobi, Kenya**

**Telephone: +254-20-6952000 | Mobile: 0734-333000 / 0722 203 748 / 0726 610 102**

**Email: [ceo@nockenya.co.ke](mailto:ceo@nockenya.co.ke) | Website: [www.nationaloil.co.ke](http://www.nationaloil.co.ke)**

---